# CANADIAN JOURNAL OF FOREST RESEARCH

# JOURNAL CANADIEN DE LA RECHERCHE FORESTIERE

## **VOLUME 10, 1980**

### Author Index / Index des auteurs

Under each name are listed, in chronological order of publication, all articles in which an author has participated/Chaque notice indique, dans l'ordre chronologique de publication, tous les articles auxquels l'auteur a participé

Anderson, H.W. Clonal variation in gross heat of combustion of juvenile Pop	oulus	Barnes, R.L. Photosynthate allocation in <i>Pinus taeda</i> . II. Seasonal aspects of
hybrids		photosynthate allocation to different biochemical fractions in
C.B.R. SASTRY and H.W. ANDERSON	245	shoots
		Hsu-Ho Chung and Robert L. Barnes 338
Archibold, O.W.		
Seed input into a postfire forest site in northern Saskatchewa		Barnes, R.L.
O.W. Archibold	129	Photosynthate allocation in Pinus taeda. III. Photosynthate
		economy: its production, consumption and balance in shoots
Armentano, T.V.		during the growing season
The role of temperate zone forests in the global carbon cycle		HSU-HO CHUNG and ROBERT L. BARNES 348
THOMAS V. ARMENTANO and C.W. RALSTON	53	
		Pormos D I
Auclair, A.N.		Barnes, R.L. Seasonal changes in energy allocation by white oak ( <i>Quercu</i> :
Dimension analysis of various components of black spruc subarctic lichen woodland	ce in	alba)
ANDREW N. RENCZ and ALLAN N. AUCLAIR	491	S.B. McLaughlin, R.K. McConathy, R.L. Barnes, and
ANDREW N. RENCZ alid ALLAN IV. AUCLAIR	471	N.T. EDWARDS 379
Ausmus, B.S.		
A regional approach to litter dynamics in Southern Appalac	chian	Pacham IT
forests	,,,,,,,,,	Basham, J.T.  The use of genetic strains in studying the activity and interac-
D.M. SHARPE, K. CROMACK, JR., W.C. JOHNSON, and		tions of a fungus inoculated in the stems of living sugar maple
B.S. Ausmus	395	J.T. Basham and H.M. Good 209
		J. I. Dadian and H. H. Ovob
Ayyamperumal, P.		D. 1
Distribution of methyl benzimidazol-2-yl carbamate phosp		Behrns, G.T.
in elm: effects of chemical properties and formulation variab		Water deficits and root growth of ectomycorrhizal white oal
D.N. Roy, J.R. Purdy, and P. Ayyamperumal	143	seedlings
		R.K. DIXON, G.M. WRIGHT, G.T. BEHRNS, R.O. TESKEY, and T.M. HINCKLEY 545
Bailey, R.L.		I.M. HINCKLEY
The potential of Weibull-type functions as flexible gro	owth	
curves: discussion	117	Bernier, P.Y.
ROBERT L. BAILEY	117	Modélisation de la coulée de l'érable à sucre (Acer saccharun
		Marsh.) à partir d'éléments météorologiques
Ballard, T.M.		ANDRÉ P. PLAMONDON et PIERRE Y. BERNIER 152
Resistance to water uptake by Douglas-fir seedlings in soi	ils of	
different texture M.G. Dosskey and T.M. BALLARD	530	Binder, W.D.
M.G. DOSSKEY AND T.M. BALLARD	330	Changes in mitotic index during onset of dormancy in Douglas-
Barker, N.A.		fir seedlings
Cone moisture content influences seed release in lodgepole pi	ine	W.C. CARLSON, W.D. BINDER, C.O. FEENAN, and
A.K. HELLUM and N.A. BARKER	239	C.L. Preisig 37
THE PERSON WINE THE PERSON NAMED	-07	
Barnes, B.V.		Blanchard, R.O.
Flowering phenology of <i>Populus tremuloides</i> and <i>P. grandi</i>	iden-	Electrical resistance measurements to detect Dutch elm disease
tata and the potential for hybridization		prior to symptom expression
KURT S. PREGITZER and BURTON V. BARNES	218	ROBERT O. BLANCHARD and JONATHAN K. CARTER 111

Bloomberg, W.J.  A model of spread and intensification of dwarf mistletoe infection in young western hemlock stands W.J. BLOOMBERG, R.B. SMITH, and A. VAN DER	Chung, HH. Photosynthate allocation in <i>Pinus taeda</i> . II. Seasonal aspects of photosynthate allocation to different biochemical fractions in shoots				
WERELD 42	HSU-Ho CHUNG and ROBERT L. BARNES 338				
Borden, J.H. Ethanol and α-pinene as synergists for the aggregation pheromones of two <i>Gnathotrichus</i> species J.H. BORDEN, B.S. LINDGREN, and L. CHONG 290	Chung, HH. Photosynthate allocation in <i>Pinus taeda</i> . III. Photosynthate economy: its production, consumption and balance in shoots during the growing season				
Brix, H.	HSU-HO CHUNG and ROBERT L. BARNES 348				
Effects of thinning and nitrogen fertilization on xylem development in Douglas-fir H. BRIX and A.K. MITCHELL 121	Cole, D.M. Estimating phloem thickness in lodgepole pine stands using electrical resistance measurements D.M. Cole and C.E.Jensen				
Bruck, R.I.	D.M. COLE and C.E.JENSEN				
Interacting environmental factors associated with the incidence of hypoxylon canker on trembling aspen ROBERT I. BRUCK and PAUL D. MANION 17	Cole, D.M.  Erratum: Estimating phloem thickness in lodgepole pine stands using electrical resistance D.M. Cole and C.E. Jensen  237				
Canavera, D.S. Differential response of paper birch provenances to aluminum in solution culture K.C. Steiner, L.H. McCormick, and D.S. Canavera	Cottell, P.L. Photographs improve statistical efficiency of truckload scaling J.P. Demaerschalk, P.L. Cottell, and M. Zobeiry 269				
Carlson, L.W.  The effect of growth retardants and inhibitors on container-grown <i>Pinus contortes</i> and <i>Picea glauca</i> G.D. WESTON, L.W. CARLSON, and E.C. WAMBOLD  510	Cromack, K., Jr. A regional approach to litter dynamics in Southern Appalachian forests D.M. SHARPE, K. CROMACK, JR., W.C. JOHNSON, and B.S. AUSMUS 395				
Carlson, W.C. Comparative root system morphologies of seeded-in-place, bare-root, and container-cultured plug Sitka spruce seedlings after	Crow, T.R. Alternative models for estimating woody plant biomass T.R. Crow and P.R. LAIDLY 367				
outplanting W.C. Carlson, C.L. Preisig, and L.C. Promnitz  250	Cunia, T. Use of dummy variables to harmonize tree biomass tables M.W. JACOBS and T. CUNIA 483				
Carlson, W.C. Changes in mitotic index during onset of dormancy in Douglas-					
fir seedlings W.C. Carlson, W.D. Binder, C.O. Feenan, and C.L. Preisig 371	Davis, W. Potential hazard rating system for fir stands infested with budworm using cambial electrical resistance				
Carter, J.K. Electrical resistance measurements to detect Dutch elm disease prior to symptom expression	WESTON DAVIS, WALTER SHORTLE, and ALEX SHIGO 541  DeBell, D.S.  Variation in specific gravity of red alder (Alnus rubra Bong.)				
ROBERT O. BLANCHARD and JONATHAN K. CARTER 111	CONSTANCE A. HARRINGTON and DEAN S. DEBELL 293				
Ceulemans, R. Leaf gas exchange processes and related characteristics of seven poplar clones under laboratory conditions R. CEULEMANS and I. IMPENS 429	Demaerschalk, J.P. Photographs improve statistical efficiency of truckload scaling J.P. Demaerschalk, P.L. Cottell, and M. Zobeiry 269				
Chavez, T.D., Jr. Young-growth western hemlock stand infection by Heterobasid- ion annosum 11 years after precommercial thinning T.D. CHAVEZ, JR., R.L. EDMONDS, and C.H. DRIVER 389	Déry, G. Effets de la scarification du site sur le micro-environnement André P. Plamondon, Denis C. Ouellet et Gaston Déry 476				
Chong, L.	Dixon, R.K. Water deficits and root growth of ectomycorrhizal white oak				
Ethanol and $\alpha$ -pinene as synergists for the aggregation pheromones of two <i>Gnathotrichus</i> species J.H. Borden, B.S. Lindgren, and L. Chong <b>290</b>	seedlings R.K. DIXON, G.M. WRIGHT, G.T. BEHRNS, R.O. TESKEY, and T.M. HINCKLEY  545				

Dosskey, M.G. Resistance to water uptake by Douglas-fir seedlings in soils of	Feenan, C.O. Changes in mitotic index during onset of dormancy in Douglas-
different texture M.G. Dosskey and T.M. Ballard 530	fir seedlings W.C. Carlson, W.D. Binder, C.O. Feenan, and
IVI.G. DOSSKEY and T.M. DALLARD 550	C.L. Preisig 371
Driver, C.H.	
Young-growth western hemlock stand infection by Heterobasid-	Forrest, G.I.
ion annosum 11 years after precommercial thinning T.D. CHAVEZ, JR., R.L. EDMONDS, and C.H. DRIVER 389	Seasonal and spatial variation in cortical monoterpene composi- tion of Sitka spruce oleoresin
	G.I. FORREST 452
Eckert, R.T.	
Photosynthesis and needle elongation response of Pinus strobus	Forrest, G.I.
clones to low level sulfur dioxide exposures	Geographic variation in the monoterpene composition of Sitka
ROBERT T. ECKERT and DANIEL B. HOUSTON 357	spruce cortical oleoresin G.I. FORREST 458
Edmonds, R.L.	E B.C.
Litter decomposition and nutrient release in Douglas-fir, red alder, western hemlock, and Pacific silver fir ecosystems in	France, R.C.  Morphological variation of tracheids in the bolewood of mature
western Washington	Picea engelmannii and Pinus contorta
ROBERT L. EDMONDS 327	RAYMOND C. FRANCE and JOHN G. MEXAL 573
Edmands D.I.	Gagnon, J.D.
Edmonds, R.L. Young-growth western hemlock stand infection by <i>Heterobasid</i> -	Essai d'un dosage d'azote dans trois sapinières de 60 ans au
ion annosum 11 years after precommercial thinning	Québec: résultats de 10 ans
T.D. CHAVEZ, JR., R.L. EDMONDS, and C.H. DRIVER 389	M.R. Roberge, J.D. Gagnon et C.H. Ung 470
Edmonds, R.L.	Genco, J.M.
Seasonal changes in mycorrhizal and fibrous-textured root bio-	Kraft pulp yields and wood properties of fertilized red spruce
mass in 23- and 180-year-old Pacific silver fir stands in western	ROBERT K. SHEPARD, JR., JAMES E. SHOTTAFER, and
Washington	Joseph M. Genco 183
KRISTIINA A. VOGT, ROBERT L. EDMONDS, CHARLES C. GRIER,	
and Stephen R. Piper 523	Girouard, R.M.
	Cicatrisation et formation de racines adventives sur des boutures
Edwards, N.T.	de tiges d'épinette de Norvège ( <i>Picea abies</i> (L.) Karst.)  RONALD M. GIROUARD  586
Seasonal changes in energy allocation by white oak (Quercus	NOTALD IN GIROUARD
alba) S.B. McLaughlin, R.K. McConathy, R.L. Barnes, and	C-1 HM
N.T. EDWARDS 379	Good, H.M.  The use of genetic strains in studying the activity and interac-
	tions of a fungus inoculated in the stems of living sugar maple
El. A D	J.T. Basham and H.M. Good 209
Ek, A.R. Comparison of sample rules for estimating jack pine density,	
basal area, and percentage with sweetfern rust cankers	Gotlieb, A.R.
HENRY L. GROSS, ALAN R. EK, and	An enzyme-linked immunosorbent assay for the detection of
ROBERT F. PATTON 190	apple mosaic virus in yellow birch
	T. HARDCASTLE and A.R. GOTLIEB 278
Ek, A.R.	
Spatial aspects of sweetfern rust disease in northern Ontario jack	Gregory, R.A.
pine – sweetfern stands	Relationship of sap sugar concentrations in sugar maple to ray
HENRY L. GROSS, ROBERT F. PATTON, and ALAN R. EK 199	tissue and parenchyma flecks caused by Phytobia setosa
ALAN R. EK 199	WILLIAM E. WALLNER and ROBERT A. GREGORY 312
El-Kassaby, Y.A.	Gregory, R.A.
Enzyme variation in natural populations of Sitka spruce ( <i>Picea sitchensis</i> ). 1. Genetic variation patterns among trees from 10	Annual cycle of shoot development in sugar maple ROBERT A. GREGORY  316
IUFRO provenances	NOBERT A. OREGORY 310
FRANCIS C. YEH and YOUSRY A. EL-KASSABY 415	
	Grier, C.C.
Farmer, R.E. Jr.	Seasonal changes in mycorrhizal and fibrous-textured root bio- mass in 23- and 180-year-old Pacific silver fir stands in western
Comparative analysis of 1st-year growth in six deciduous tree	Washington
species	KRISTIINA A. VOGT, ROBERT L. EDMONDS, CHARLES C. GRIER,
R.E. FARMER, JR. 35	and Stephen R. Piper 523

Gross, H.L.

ALAN R. EK

Hansen, D.C.

ROBERT F. PATTON

pine - sweetfern stands

HENRY L. GROSS, ALAN R. EK, and

HENRY L. GROSS, ROBERT F. PATTON, and

ized Douglas-fir seedlings: greenhouse performance

WALTER G. THIES, PEYTON W. OWSTON, and

Comparison of sample rules for estimating jack pine density, basal area, and percentage with sweetfern rust cankers

Spatial aspects of sweetfern rust disease in northern Ontario jack

Effects of four fungicides on survival and growth of container-

199

Houston, D.B.

from Nova Scotia

R. CEULEMANS and I. IMPENS

Hunt, K.

Impens, I.

Jacobs, M.W.

Photosynthesis and needle elongation response of *Pinus strobus* clones to low level sulfur dioxide exposures

Volume, dry weight, and kraft pulping of fertilized balsam fir

Leaf gas exchange processes and related characteristics of seven poplar clones under laboratory conditions

357

362

429

ROBERT T. ECKERT and DANIEL B. HOUSTON

K. HUNT, V.R. TIMMER, and W.G. WARREN

DIAN C. HANSEN 423	M.W. JACOBS and T. CUNIA 483
Hansen, E.A.	
Rooting greenwood tip cuttings of several Populus clones hydro-	Jarvis, P.G.
ponically (hydroponic rooting of Populus cuttings)	Comparison of an isotopic method and the Penman-Monteith
HOWARD M. PHIPPS, EDWARD A. HANSEN, and	equation for estimating transpiration from scots pine
DAVID N. TOLSTED 107	R.H. WARING, D. WHITEHEAD, and P.G. JARVIS 555
211101111100100	K.II. WAKING, D. WHITEHEAD, and T.O. JAKVIS
Hardcastle, T.	Jensen, C.E.
An enzyme-linked immunosorbent assay for the detection of	Estimating phloem thickness in lodgepole pine stands using
apple mosaic virus in yellow birch	electrical resistance measurements
T. HARDCASTLE and A.R. GOTLIEB 278	D.M. Cole and C.E.Jensen 102
Harner, E.J.	Jensen, C.E.
Predicting root age of advance growth beneath hardwood	Erratum: Estimating phloem thickness in lodgepole pine stands
canopies	using electrical resistance
EARL H. TRYON, DOUGLAS S. POWELL, and	D.M. Cole and C.E. Jensen 237
E. JAMES HARNER 264	D.M. COLL and C.L. JENSEN
	Johnson, W.C.
Harrington, C.A.	A regional approach to litter dynamics in Southern Appalachian
Variation in specific gravity of red alder (Alnus rubra Bong.)	forests
Constance A. Harrington and Dean S. DeBell 293	D.M. SHARPE, K. CROMACK, JR., W.C. JOHNSON, and
CONSTANCE A. HARRINGTON and DEAN S. DEDELL 223	
11 4 17	B.S. Ausmus 395
Harvey, A.E.	
Clearcut harvesting and ectomycorrhizae: survival of activity on	Jokela, E.J.
residual roots and influence on a bordering forest stand in	Variation in red pine (Pinus resinosa) foliar nutrient concentra-
western Montana	tions as influenced by sampling procedure
A.E. HARVEY, M.F. JURGENSEN, and M.J. LARSEN 300	EDWIN H. WHITE and ERIC J. JOKELA 233
Harvey, A.E.	Jurgensen, M.F.
Partial cut harvesting and ectomycorrhizae: early effects in	Clearcut harvesting and ectomycorrhizae: survival of activity on
Douglas-fir-larch forests of western Montana	residual roots and influence on a bordering forest stand in
A.E. Harvey, M.J. Larsen, and M.F. Jurgensen 436	western Montana
	A.E. HARVEY, M.F. JURGENSEN, and M.J. LARSEN 300
Heaman, J.C.	
Promotion of cone and seed production in grafted and seedling	Jurgensen, M.F.
Douglas-fir seed orchards by application of gibberellin A <sub>4/7</sub>	Partial cut harvesting and ectomycorrhizae: early effects in
mixture	Douglas-fir-larch forests of western Montana
STEPHEN D. ROSS, RICHARD P. PHARIS, and	A.E. HARVEY, M.J. LARSEN, and M.F. JURGENSEN 436
J.C. HEAMAN 464	The state of the s
	Kandiko, R.A.
Hellum, A.K.	Pressure-volume curves of shoots and roots of normal and
Cone moisture content influences seed release in lodgepole pine	drought conditioned western hemlock seedlings
A.K. HELLUM and N.A. BARKER 239	R.A. KANDIKO, R. TIMMIS, and J. WORRALL 10
A.R. HELLOM dild IV.A. DAKKEK 239	N.A. KANDIKO, K. HMMIS, aliu J. WORKALL
Hinckley, T.M.	Karnosky, D.F.
Water deficits and root growth of ectomycorrhizal white oak	Protoplast isolation from Ulmus americana L. pollen mother
seedlings	cells, tetrads, and microspores
R.K. DIXON, G.M. WRIGHT, G.T. BEHRNS, R.O. TESKEY, and	M.K. REDENBAUGH, R.D. WESTFALL, and
T.M. HINCKLEY 545	D.F. KARNOSKY 284

Keller, T. The effect of a continuous springtime fumigation with $SO_2$ on $CO_2$ uptake and structure of the annual ring in spruce	Lopushinsky, W. Effect of defoliation on transpiration in grand fir W. Lopushinsky and G.O. Klock 114
T. Keller	
	Mahendrappa, M.K.
Kelliher, F.M. Stomatal resistance, transpiration, and growth of drought-	Relationships between different estimates of mineralizable N in the organic materials under black spruce stands
stressed eastern cottonwood	M.K. MAHENDRAPPA 517
F.M. KELLIHER, M.B. KIRKHAM, and C.G. TAUER 447	
	Manion, P.D.
Kirkham, M.B.	Interacting environmental factors associated with the incidence
Stomatal resistance, transpiration, and growth of drought-	of hypoxylon canker on trembling aspen
stressed eastern cottonwood	ROBERT I. BRUCK and PAUL D. MANION 17
F.M. KELLIHER, M.B. KIRKHAM, and C.G. TAUER 447	
	Marshall, P.L.
Klock, G.O.	Optimal sampling size in multivariate forest investories: a
Effect of defoliation on transpiration in grand fir W. LOPUSHINSKY and G.O. KLOCK  114	programming procedure for solving a multivariate sampling
W. LOPUSHINSKY and G.O. KLOCK	problem P.L. Marshall and J.C. Nautiyal 579
	F.L. MARSHALL and J.C. NAUTIYAL 573
Koerper, G.J.	
Biomass and net annual primary production regressions for	Martell, D.L.
Populus grandidentata on three sites in northern lower Michigan	The optimal rotation of a flammable forest stand D.L. MARTELL 30
GREG J.KOERPER and CURTIS J. RICHARDSON 92	D.L. MARIELL
Kozak, A.	Martin, R.E.
The potential of Weibull-type functions as flexible grow curves:	Duff weight and depth in a high elevation <i>Pinus contorta</i> Dougl forest
reply	P.M. WOODARD and R.E. MARTIN
A. KOZAK and J.H.G. SMITH	1.11. WOODARD and R.E. MARTIN
	Martin DE
Kozlowski, T.T.	Martin, R.E. Erratum: Duff weight and depth in a high elevation <i>Pinus</i>
Effect of SO, on transpiration, chlorophyll content, growth, and	contorta Dougl. forest
injury in young seedlings of woody angiosperms	P.M. WOODARD and R.E. MARTIN 238
W. Suwannapinunt and T.T.Kozlowski 78	
	Marx, D.H.
Kozlowski, T.T.	Fungicide drenches affect ectomycorrhizal development of con-
Responses of Pinus halepensis seedlings to flooding	tainer-grown Pinus palustris seedlings
A.R. Sena Gomes and T.T. Kozlowski 308	WILLIAM H. PAWUK, JOHN L. RUEHLE, and
	DONALD H. MARX 61
Laidly, P.R.	
Alternative models for estimating woody plant biomass	McConathy, R.K.
T.R. Crow and P.R. LAIDLY 367	Seasonal changes in energy allocation by white oak (Quercus
	alba)
Larsen, M.J.	S.B. McLaughlin, R.K. McConathy, R.L. Barnes, and
Clearcut harvesting and ectomycorrhizae: survival of activity on	N.T. EDWARDS 379
residual roots and influence on a bordering forest stand in	
western Montana A.E. HARVEY, M.F. JURGENSEN, and M.J. LARSEN 300	McCormick, L.H.
A.L. HARVEI, W.I. JORGENSEN, and W.J. LARSEN 500	Differential response of paper birch provenances to aluminum in
1 141	solution culture K.C. Steiner, L.H. McCormick, and
Larsen, M.J.	D.S. CANAVERA 25
Partial cut harvesting and ectomycorrhizae: early effects in Douglas-fir-larch forests of western Montana	D.S. CANAYERA
A.E. HARVEY, M.J. LARSEN, and M.F. JURGENSEN 436	M. I IV. C.D.
	McLaughlin, S.B.
Larson, M.M.	Seasonal changes in energy allocation by white oak (Quercus alba)
Effects of atmospheric humidity and zonal soil water stress on	S.B. McLaughlin, R.K. McConathy, R.L. Barnes, and
initial growth of planted northern red oak seedlings	N.T. EDWARDS 379
M.M. Larson 549	
	McMullan, E.E.
Lindgren, B.S.	Effect of applied growth regulators on cone production in
Ethanol and α-pinene as synergists for the aggregation phero-	Douglas-fir, and relation of endogenous growth regulators to
mones of two Gnathotrichus species	cone production capacity
J.H. BORDEN, B.S. LINDGREN, and L. CHONG 290	E.E. McMullan 405

Patton, R.F.

Spatial aspects of sweetfern rust disease in northern Ontario jack pine – sweetfern stands
HENRY L. GROSS, ROBERT F. PATTON, and
ALAN R. EK
199

Meng, C.H. Black spruce: 15-year growth and microbiological responses to thinning and fertilization	Pawuk, W.H. Fungicide drenches affect ectomycorrhizal development of container-grown <i>Pinus palustris</i> seedlings			
G.F. WEETMAN, M.R. ROBERGE, and C.H. MENG 502	WILLIAM H. PAWUK, JOHN L. RUEHLE, and			
	DONALD H. MARX 6			
Mexal, J.G.				
Morphological variation of tracheids in the bolewood of mature	Pharis, R.P.			
Picea engelmannii and Pinus contorta	Promotion of cone and seed production in grafted and seedling			
RAYMOND C. FRANCE and JOHN G. MEXAL 573	Douglas-fir seed orchards by application of gibberellin A <sub>4/</sub> mixture			
Mitchell, A.K.	STEPHEN D. ROSS, RICHARD P. PHARIS, and			
Effects of thinning and nitrogen fertilization on xylem development in Douglas-fir	J.C. Heaman 46			
H. Brix and A.K. MITCHELL 121	Phipps, H,M.			
	Rooting greenwood tip cuttings of several Populus clones hydro			
Molder, M. The pollination mechanism in yellow cypress (Chamaecyparis	ponically (hydroponic rooting of <i>Populus</i> cuttings) HOWARD M. PHIPPS, EDWARD A. HANSEN, and			
nootkatensis)	DAVID N. TOLSTED 10'			
JOHN N. OWENS, SHEILA J. SIMPSON, and				
Marje Molder 564	Piper, S.R.			
	Seasonal changes in mycorrhizal and fibrous-textured root bio			
Nautiyal, J.C.	mass in 23- and 180-year-old Pacific silver fir stands in western			
An anatomy of stumpage value  J.C. NAUTIYAL  135	Washington			
	KRISTIINA A. VOGT, ROBERT L. EDMONDS, CHARLES C. GRIER, and STEPHEN R. PIPER 52:			
Nautiyal, J.C.				
Optimal sampling size in multivariate forest investories: a programming procedure for solving a multivariate sampling	Plamondon, A.P.			
problem	Modélisation de la coulée de l'érable à sucre (Acer saccharun			
P.L. Marshall and J.C. Nautiyal 579	Marsh.) à partir d'éléments météorologiques André P. Plamondon et Pierre Y. Bernier  15:			
Nokoe, S.				
Nonlinear models fitted to stand volume-age data compare	Plamondon, A.P.			
favourably with British Columbia Forest Service hand-drawn	Effets de la scarification du site sur le micro-environnement			
volume-age curves	ANDRÉ P. PLAMONDON, DENIS C. OUELLET et			
SAGARY NOKOE 304	Gaston Déry 470			
Ouellet, D.C.	Potvin, F.			
Effets de la scarification du site sur le micro-environnement	Short-term impact of a spruce budworm outbreak on a dee			
ANDRÉ P. PLAMONDON, DENIS C. OUELLET et	wintering area			
Gaston Déry 476	François Potvin 55			
Owens, J.N.	D. H. D.C.			
The pollination mechanism in yellow cypress (Chamaecyparis	Powell, D.S.  Predicting root age of advance growth beneath hardwood			
nootkatensis)	canopies			
JOHN N. OWENS, SHEILA J. SIMPSON, and	EARL H. TRYON, DOUGLAS S. POWELL, and			
Marje Molder 564	E. James Harner 26-			
Owston, P.W.				
Effects of four fungicides on survival and growth of container-	Pregitzer, K.S.			
ized Douglas-fir seedlings: greenhouse performance	Flowering phenology of Populus tremuloides and P. grandiden			
WALTER G. THIES, PEYTON W. OWSTON, and	tata and the potential for hybridization  KURT S. PREGITZER and BURTON V. BARNES  218			
DIAN C. HANSEN 423	KURT S. PREGITZER and BURTON V. BARNES 213			
Patton, R.F.	Preisig, C.L.			
Comparison of sample rules for estimating jack pine density,	Comparative root system morphologies of seeded-in-place, bare			
basal area, and percentage with sweetfern rust cankers	root, and container-cultured plug Sitka spruce seedlings afte			
HENRY L. GROSS, ALAN R. EK, and	outplanting			
ROBERT F. PATTON 190	W.C. Carlson, C.L. Preisig, and L.C. Promnitz 250			

Preisig, C.L.

Changes in mitotic index during onset of dormancy in Douglasfir seedlings
W.C. CARLSON, W.D. BINDER, C.O. FEENAN, and
C.L. PREISIG 371

564

119

AUTHOR IN	DEX / IN	NDEX DES AUTEURS	AI-7
Promnitz, L.C. Comparative root system morphologies of seeded-in-place root, and container-cultured plug Sitka spruce seedling outplanting		Sastry, C.B.R. Clonal variation in gross heat of combustion of juvenile Polyhybrids C.B.R. SASTRY and H.W. ANDERSON	pulus 245
W.C. CARLSON, C.L. PREISIG, and L.C. PROMNITZ	250	C.D.R. SASTRY alla M. W. ANDERSON	443
		Schipper, A.L., Jr.	
Purdy, J.R. Distribution of methyl benzimidazol-2-yl carbamate pho	osphate	Epidemiology of Melampsora medusae leaf rust of popla the north central United States	irs in
in elm: effects of chemical properties and formulation variation D.N. Roy, J.R. PURDY, and P. AYYAMPERUMAL		K.D. WIDIN and A.L. SCHIPPER, JR.  Sena Gomes, A.R.	257
Ralston, C.W.		Responses of <i>Pinus halepensis</i> seedlings to flooding	
The role of temperate zone forests in the global carbon cyc	cle	A.R. Sena Gomes and T.T. Kozlowski	308
THOMAS V. ARMENTANO and C.W. RALSTON	53		
		Sharpe, D.M.  A regional approach to litter dynamics in Southern Appala	ahian
Redenbaugh, M.K.		forests	Cilian
Protoplast isolation from <i>Ulmus americana</i> L. pollen is cells, tetrads, and microspores  M.K. REDENBAUGH, R.D. WESTFALL, and	mother	D.M. SHARPE, K. CROMACK, JR., W.C. JOHNSON, and B.S. Ausmus	395
D.F. KARNOSKY	284		
		Shepard, R.K., Jr.	
Rencz, A.N.		Kraft pulp yields and wood properties of fertilized red spruce ROBERT K. SHEPARD, JR., JAMES E. SHOTTAFER, and	
Dimension analysis of various components of black spr subarctic lichen woodland	ruce in	JOSEPH M. GENCO	183
ANDREW N. RENCZ and ALLAN N. AUCLAIR	491	Shigo, A. Potential hazard rating system for fir stands infested	with
Richardson, C.J.		budworm using cambial electrical resistance	
Biomass and net annual primary production regression Populus grandidentata on three sites in northern		WESTON DAVIS, WALTER SHORTLE, and ALEX SHIGO	541
Michigan GREG J.KOERPER and CURTIS J. RICHARDSON	02	Shigo, A.L.	
GREG J. KUERPER AND CORTIS J. RICHARDSON	92	Barrier zone anatomy in red pine roots invaded by Heterobion annosum	
Roberge, M.R.		JOANNA T. TIPPETT and ALEX L. SHIGO	224
Essai d'un dosage d'azote dans trois sapinières de 60 : Québec: résultats de 10 ans	ans au	Shortle, W.	
M.R. Roberge, J.D. Gagnon et C.H. Ung	470	Potential hazard rating system for fir stands infested	with
		budworm using cambial electrical resistance	
Roberge, M.R.		WESTON DAVIS, WALTER SHORTLE, and ALEX SHIGO	541
Black spruce: 15-year growth and microbiological respo	nses to	Shottafer, J.E.	
G.F. WEETMAN, M.R. ROBERGE, and C.H. MENG	502	Kraft pulp yields and wood properties of fertilized red spruc ROBERT K. SHEPARD, JR., JAMES E. SHOTTAFER, and	
Ross, S.D.		JOSEPH M. GENCO	183
Promotion of cone and seed production in grafted and so Douglas-fir seed orchards by application of gibberelli		Simpson, S.J.  The pollination mechanism in yellow cypress (Chamaecy	vparis

STEPHEN D. ROSS, RICHARD P. PHARIS, and J.C. HEAMAN

Distribution of methyl benzimidazol-2-yl carbamate phosphate in elm: effects of chemical properties and formulation variables D.N. ROY, J.R. PURDY, and P. AYYAMPERUMAL

Ruehle, J.L.

Fungicide drenches affect ectomycorrhizal development of container-grown Pinus paiustris seedlings
WILLIAM H. PAWUK, JOHN L. RUEHLE, and DONALD H. MARX

Running, S.W.

Environmental and physiological control of water flux through Pinus contorta STEVEN W. RUNNING

Smith, R.B.

nootkatensis)

Smith, J.H.G.

Smith, J.H.G.

J. HARRY G. SMITH

reply

MARJE MOLDER

JOHN N. OWENS, SHEILA J. SIMPSON, and

A. KOZAK and J.H.G. SMITH

A model of spread and intensification of dwarf mistletoe infection in young western hemlock stands W.J. BLOOMBERG, R.B. SMITH, and A. VAN DER WERELD 42

The potential of Weibull-type functions as flexible grow curves:

Influences of spacing on radial growth and percentage latewood

of Douglas-fir, western hemlock, and western redcedar

Timmer, V.R.

Volume, dry weight, and kraft pulping of fertilized balsam fir from Nova Scotia
K. Hunt, V.R. Timmer, and W.G. Warren 362

Smith, V.G.	Timmis, R.
Erratum: Estimating the solid-wood content of stacked logs with	Pressure-volume curves of shoots and roots of normal and
minimum total cost	drought conditioned western hemlock seedlings
VICTOR G. SMITH 110	R.A. KANDIKO, R. TIMMIS, and J. WORRALL
VICTOR G. SMITH	R.A. RANDIKO, R. HMMIS, and J. WORKALL
South, D.B.	Tippett, J.T.
A new method for screening herbicides for use in pine nurseries	Barrier zone anatomy in red pine roots invaded by Heterobasid
DAVID B. SOUTH and SHI-JEAN SUSANA SUNG  164	ion annosum
DAVID B. SOUTH AND SHI-JEAN SUSANA SONG	JOANNA T. TIPPETT and ALEX L. SHIGO 22
	JOANNA 1. HEFETT and ALEX E. SMGO
Steiner, K.C.	
Differential response of paper birch provenances to aluminum in	Tolsted, D.N.
solution culture	Rooting greenwood tip cuttings of several Populus clones hydro
K.C. STEINER, L.H. McCormick, and	ponically (hydroponic rooting of Populus cuttings)
D.S. CANAVERA 25	HOWARD M. PHIPPS, EDWARD A. HANSEN, and
	DAVID N. TOLSTED 10
Ct. L. D.I	
Stocks, B.J.	Tryon, E.H.
Black spruce crown fuel weights in northern Ontario	
B.J. STOCKS 498	Predicting root age of advance growth beneath hardwood canopies
	EARL H. TRYON, DOUGLAS S. POWELL, and
Stone, D.M.	
Fertilization of a pole-sized maple stand: 10-year results	E. James Harner 26
Douglas M. Stone 158	
DOUGLAS III, DIONE	Ung, C.H.
	Essai d'un dosage d'azote dans trois sapinières de 60 ans a
Sung, SJ.S.	Québec: résultats de 10 ans
A new method for screening herbicides for use in pine nurseries	M.R. ROBERGE, J.D. GAGNON et C.H. UNG 47
DAVID B. SOUTH and SHI-JEAN SUSANA SUNG 164	
	van den Driessche, R.
Suwannapinunt, W.	Effects of nitrogen and phosphorus fertilization on Douglas-fi
Effect of SO, on transpiration, chlorophyll content, growth, and	nursery growth and survival outplanting
injury in young seedlings of woody angiosperms	R. VAN DEN DRIESSCHE 6
W. SUWANNAPINUNT and T.T.KOZLOWSKI 78	K. VAN DEN DALESCHE
Tauer, C.G.	Van Der Wereld, A.
	A model of spread and intensification of dwarf mistletoe infec-
Stomatal resistance, transpiration, and growth of drought-	tion in young western hemlock stands
stressed eastern cottonwood	W.J. BLOOMBERG, R.B. SMITH, and
F.M. KELLIHER, M.B. KIRKHAM, and C.G. TAUER 447	A. VAN DER WERELD 4
Tolor BO	
Teskey, R.O.	Van Sickle, G.A.
Water deficits and root growth of ectomycorrhizal white oak	Estimation of tree growth losses caused by pest activity
seedlings	A.J. THOMSON and G.A. VAN SICKLE 17
R.K. DIXON, G.M. WRIGHT, G.T. BEHRNS, R.O. TESKEY, and	
T.M. HINCKLEY 545	Vogt, K.A.
	Seasonal changes in mycorrhizal and fibrous-textured root bio
Thies, W.G.	mass in 23- and 180-year-old Pacific silver fir stands in wester
Effects of four fungicides on survival and growth of container-	Washington
ized Douglas-fir seedlings: greenhouse performance	KRISTIINA A. VOGT, ROBERT L. EDMONDS, CHARLES C. GRIER
WALTER G. THIES, PEYTON W. OWSTON, and	and Stephen R. Piper 52
DIAN C. HANSEN 423	
	W.H W.F.
Thompson, S.	Wallner, W.E.
	Relationship of sap sugar concentrations in sugar maple to ra
The growth of lodgepole pine seedlings raised under clear	tissue and parenchyma flecks caused by Phytobia setosa
polythene cloches at five seedbed densities	WILLIAM E. WALLNER and ROBERT A. GREGORY 31
S. Thompson 426	
	Wambold, E.C.
Thomson, A.J.	The effect of growth retardants and inhibitors on container
Estimation of tree growth losses caused by pest activity	grown Pinus contorta and Picea glauca
A.J. THOMSON and G.A. VAN SICKLE 176	G.D. WESTON, L.W. CARLSON, and E.C. WAMBOLD 51

Waring, R.H.

am fir Comparison of an isotopic method and the Penman-Monteith equation for estimating transpiration from scots pine

362 R.H. WARING, D. WHITEHEAD, and P.G. JARVIS

555

415

441

Warren, W.G.	Widin, K.D.
Volume, dry weight, and kraft pulping of fertilized balsam fir from Nova Scotia	Epidemiology of Melampsora medusae leaf rust of poplars in the north central United States
K. Hunt, V.R. Timmer, and W.G. Warren 362	K.D. WIDIN and A.L. SCHIPPER, JR. 257
Webb, W.L.	Woodard, P.M.
Starch content of conifers defoliated by the Douglas-fir tussock moth	Duff weight and depth in a high elevation Pinus contorta Dougl. forest
WARREN L. WEBB 535	P.M. WOODARD and R.E. MARTIN 7
Weetman, G.F.	Woodard, P.M.
Black spruce: 15-year growth and microbiological responses to thinning and fertilization	
G.F. WEETMAN, M.R. ROBERGE, and C.H. MENG 502	P.M. WOODARD and R.E. MARTIN 238
West, P.W.	Worrall, J.
Use of diameter increment and basal area increment in tree growth studies	Pressure-volume curves of shoots and roots of normal and drought conditioned western hemlock seedlings
P.W. West 71	
Westfall, R.D.	Wright, G.M.
Protoplast isolation from <i>Ulmus americana</i> L. pollen mother cells, tetrads, and microspores	
M.K. REDENBAUGH, R.D. WESTFALL, and	R.K. DIXON, G.M. WRIGHT, G.T. BEHRNS, R.O. TESKEY, and
D.F. KARNOSKY 284	T.M. HINCKLEY 545
Weston C.D.	Veh FC

IUFRO provenances

grown Pinus contorta and Picea glauca
G.D. WESTON, L.W. CARLSON, and E.C. WAMBOLD
White, E.H.

Variation in red pine (Pinus	resinosa) foliar nutrient concentra-
tions as influenced by samplin EDWIN H. WHITE and ERIC	

The effect of growth retardants and inhibitors on container-

whitehead,	D.						
Comparison	of an	isotopic	method	and	the	Penman-N	Aonteitl
equation for	estima	ting tran	spiration	from	sco	ts pine	
R.H. WARIN	ig. D.	WHITEHI	EAD, and	P.G.	JAH	RVIS	555

# Zobel, D.B. Effect of forest floor disturbance on seedling establishment of Chamaecyparis lawsoniana Donald B. Zobel

Photographs improve statistical efficiency of truckload scaling J.P. Demaerschalk, P.L. Cottell, and M. Zobeiry

Enzyme variation in natural populations of Sitka spruce (Picea

sitchensis). 1. Genetic variation patterns among trees from 10

FRANCIS C. YEH and YOUSRY A. EL-KASSABY



# CANADIAN JOURNAL OF FOREST RESEARCH

# JOURNAL CANADIEN DE LA RECHERCHE FORESTIERE

#### **VOLUME 10, 1980**

## Subject Index / Index des matières

This is a rotated term index. The terms are arranged linearly, primary terms first, followed by secondary terms after the semicolon. Each primary term is used once to head an entry. Secondary terms are informative but not sufficiently specific to head entries. In an entry, a few terms by themselves may be ambiguous, but a reading of all the terms should convey the content of the paper. The index terms are followed by the volume number, inclusive page numbers, and authors' names, in that order.

Il s'agit d'un index de termes permutés, présentés de façon linéaire: les termes principaux sont suivis, après le point-virgule, des termes secondaires. Chaque terme principal figure une fois au début d'une notice. Les termes secondaires sont utiles, mais trop peu précis pour servir de termes principaux. Il peut arriver que quelques termes d'une notice, pris isolément, soient obscurs, mais l'ensemble des termes doit préciser le contenu de l'article. Les termes de l'index sont suivis du numéro du volume, de la pagination complète et du nom de l'auteur ou des auteurs, dans cet ordre.

Abies amabilis, mycorrhiza, root biomass; Washington, U.S.A. seasonal changes. 10, 523-529 (Vogt et al.)

Abies balsamea, electrical (Davis et al.)	resistance, spruce budworm; Nev	Hampshire, U.S.A., growth re	eduction, mortality. 10, 541-54
	fertilization; Nova Scotia. 10,	362-366 (Hunt et al.)	
	ntable volume, humus fertility;		ge et al.)
	ga menziesii, food reserves, tusso		
Abies grandis, defoliation,	transpiration; Washington, U.S.A	a. 10, 114-116 (Lopushinsky and	d Klock)
abscisic acid, cone enhance 405-414 (McMullan)	ment, Pseudotsuga menziesii, gib	berellins, auxins; method of app	olication of hormones to trees. 10
Acer rubrum, Acer sacchar	um, fertilization; stand in Wiscons	sin, U.S.A. 10, 158-163 (Stone)	
Acer saccharum, Acer rubr.	um, fertilization; stand in Wiscons	sin, U.S.A. 10, 158-163 (Stone)	
, fungus activit	y; genetic strains, inoculation.	10, 209-217 (Basham and Go	ood)
	oot development; Vermont, U.S.		
Gregory) gith flecks, i	Phytobia, sugar concentration,	ray tissue; Wisconsin, U.S.A	A. 10, 312-315 (Wallner an
, sap flow; env	ironmental factors. 10, 152-157	(Plamondon and Bernier)	
advance growth, hardwood	reproduction, root age; West Virg	inia, U.S.A. 10, 264-268 (Tryon	n et al.)
adventitious roots, stem cut	tings, scarring, Picea abies, rooting	ng; 10, 586-593 (Girouard)	
	growth rate, age, distance from pi		arrington and DeBell)
aluminum, Betula papyrife.	ra; solution culture, provenances.	10, 25-29 (Steiner et al.)	
	rophylla; computer, simulation, sp		
auxins, cone enhancement, 405-414 (McMullan)	Pseudotsuga menziesii, gibberell	ins, abscisic acid; method of app	olication of hormones to trees. 10
bareroot, container, Picea s	sitchensis, root development; after	outplanting, Oregon, U.S.A. 10	), 250-256 (Carlson et al.)
	s; immunosorbent assay, apple mo		
	im; solution culture, provenances.		
, Picea glauca.	, fire, seed input; northern mis	xedwood, secondary succession	n, Saskatchewan. 10, 129-13
biomass, dimensional analy Richardson)	ysis, net primary production, Popu	ulus grandidentata; Michigan,	U.S.A. 10, 92-101 (Koerper an
	a, fuel weights; Ontario, tree co		
; harmonized re	a, lichen woodland; eastern Car egressions, dummy variables. 10,	483-490 (Jacobs and Cunia)	
	models. 10, 367-370 (Crow and L		
budworm, growth, Pseudots	suga; computer model. 10, 176-18	2 (Thomson and Van Sickle)	

- cambial growth, xylem, Pseudotsuga menziesii; environmental effects, wood property, cambium marking. 10, 121-128 (Brix and Mitchell)
- canker, Cronartium comptoniae, epidemiology, Pinus banksiana; spatial distribution, sweetfern blister rust. 10, 199-208 (Gross et al.)
- Hypoxylon, Populus tremuloides; New York, U.S.A., environmental factors. 10, 17-24 (Bruck and Manion)
- carbon cycle; temperate zone forests. 10, 53-60 (Armentano and Ralston)
- Chamaecyparis lawsoniana, germination, seedbed; Oregon, U.S.A. 10, 441-446 (Zobel)
- , pollination; British Columbia. 10, 564-572 (Owens et al.)
- chlorophyll, pollution, sulphur, transpiration; growth, injury, woody angiosperms. 10, 78-81 (Suwannapinunt and Kozlowski)
- cloche-grown, Pinus contorta; Scotland, seed-bed density. 10, 426-428 (Thompson)
- cone, moisture, seed release, Pinus contorta; Alberta, 10, 239–244 (Hellum and Barker)
- cone enhancement, Pseudotsuga menziesii, gibberellins, auxins, abscisic acid; method of application of hormones to trees. 10,
- cone production. Pseudotsuga menziesii, gibberellin; Oregon, U.S.A., British Columbia. 10, 464-469 (Ross et al.)
- container, bareroot, Picea sitchensis, root development; after outplanting, Oregon, U.S.A. 10, 250-256 (Carlson et al.)
  - fungicides, Pseudotsuga menziesii; 10, 423-425 (Thies et al.)
- growth retardants, inhibitors, Pinus contorta, Picea glauca; 10, 510-516 (Weston et al.)
- Cronartium comptoniae, canker, epidemiology, Pinus banksiana; spatial distribution, sweetfern blister rust. 10, 199-208 (Gross et al.)
- ——, canker, *Pinus banksiana*; sampling efficiency, sweetfern blister rust, density, basal area. **10**, 190-198 (Gross et al.)
- cuttings, Populus, vegetative propagation; growth regulators, nutrient culture, IBA, NAA. 10, 107-110 (Phipps et al.)
- decay, Pinus resinosa, fungus, roots; barrier zone anatomy. 10, 224-232 (Tippett and Shigo)
- decay rates, litter, organic layer; Southern Appalachians, U.S.A., turnover. 10, 395-404 (Sharpe et al.)
- decomposition rates, organic layer, litter, nutrient release; Washingtoon, U.S.A. 10, 327–337 (Edmonds)
- deer wintering, spruce budworm; Quebec. 10, 559–563 (Potvin)
- defoliation, Abies grandis, transpiration; Washington, U.S.A. 10, 114-116 (Lopushinsky and Klock)
- densitometry, X ray, growth rings; Tsuga, Pseudotsuga, Thuja, British Columbia. 10, 169-175 (Smith)
- dew-point, water potential, hygrometry, Pseudotsuga menziesii; British Columbia, soil texture. 10, 530-534 (Dosskey and Ballard)
- dimensional analysis, biomass, net primary production, *Populus grandidentata*; Michigan, U.S.A. 10, 92-101 (Koerper and Richardson)
- dormancy, Pseudotsuga menziesii, mitotic index; seedling development, regeneration. 10, 371-378 (Carlson et al.)
- duff, organic layer; Washington, U.S.A., depth, weight, subalpine zone, prediction analog. 10, 7-9 (Woodard and Martin)
- Dutch elm disease, electrical resistance; presymptomatic. 10, 111-114 (Blanchard and Carter)
- -----, Ulmus americana; BMCB. 10, 143-151 (Roy et al.)
- ectomycorrhiza, fire, harvesting impacts; Montana, U.S.A. 10, 300-303 (Harvey et al.)
- , harvest cut, fire; Montana, U.S.A. 10, 436-440 (Harvey et al.)
- , water relations, Quercus alba, Pisolithus tinctorius; Missouri, U.S.A. 10, 545-548 (Dixon et al.)
- electrical measurements, Pinus contorta, phloem; Montana, U.S.A., predictive model. 10, 102-106 (Cole and Jensen)
- electrical resistance, Abies balsamea, spruce budworm; New Hampshire, U.S.A., growth reduction, mortality. 10, 541-544 (Davis et al.)
  - Dutch elm disease; presymptomatic, 10, 111-114 (Blanchard and Carter
- enzymes, Picea sitchensis, polymorphic loci; natural populations, IUFRO provenances, British Columbia. 10, 415-422 (Yeh and El-Kassaby)
- epidemiology, canker, Cronartium comptoniae, Pinus banksiana; spatial distribution, sweetfern blister rust. 10, 199-208 (Gross et al.)
- fertilization, Acer saccharum, Acer rubrum; stand in Wisconsin, U.S.A. 10, 158-163 (Stone)
- , kraft pulp, *Picea rubens*; wood quality, specific gravity, wood properties, lignin, resin. 10, 183-189 (Shepard et al.)
- , kraft pulping, Abies balsamea; Nova Scotia. 10, 362-366 (Hunt et al.)

thinning, Picea mariana, foliar analysis, nitrogen; Quebec. 10, 502-509 (Weetman et al.)

fertilizer, Pseudotsuga, nitrogen, phosphorus; factorial fertilizer experiment, nursery growth. 10, 65-70 (van den Driesche) fire, ectomycorrhiza, harvest cut; Montana, U.S.A. 10, 436-440 (Harvey et al.)

ectomycorrhiza, harvesting impacts; Montana, U.S.A. 10, 300-303 (Harvey et al.)

Picea glauca, Betula papyrifera, seed input; northern mixedwood, secondary succession, Saskatchewan, 10. 129-134 (Archibold)

fire management; rotation, stochastic model. 8, 30-34 (Martell)

flooding, Pinus halpensis; seedlings. 10, 308-311 (Sena Gomes and Kozlowski)

foliar analysis, fertilization, thinning, Picea mariana, nitrogen; Quebec. 10, 502-509 (Weetman et al.)

Pinus resinosa, nutrition; samples by shooting and clipping, Minnesota, U.S.A. 10, 233-237 (White and Jokela)

Fomes annuosus, Tsuga heterophylla; infection rate, thinning. 10, 389-394 (Chavez et al.)

food reserves, Abies concolor, Pseudotsuga menziesii, tussock moth; British Columbia, New Mexico, U.S.A. 10, 535-540 (Webb)

Quercus alba; seasonal allocation, Tennessee, U.S.A. 10, 379-388 (McLaughlin et al.)

fuel weights, Picea mariana, biomass; Ontario, tree crowns. 10, 498-501 (Stocks) fumigation, sulphur, xylem, Picea abies, pollution; Switzerland. 10, 1-6 (Keller)

fungicide, Pinus palustris, ectomycorrhiza, Pisolithus tinctorius, Thelephora terrestris; seedling growth, reforestation. 10, 61-64 (Pawuk et al.)

container-grown, Pseudotsuga menziesii; 10, 423-425 (Thies et al.)

fungus, Pinus resinosa, decay, roots; barrier zone anatomy. 10, 224-232 (Tippett and Shigo) fungus activity, Acer saccharum; genetic strains, inoculation. 10, 209-217 (Basham and Good)

gas exchange, Populus, water use efficiency; clones, Belgium. 10, 429-435 (Ceulemans and Impens)

germination, seedbed, Chamaecyparis lawsoniana; Oregon, U.S.A. 10, 441-446 (Zobel) gibberellin, Pseudotsuga menziesii, cone production; Oregon, U.S.A., British Columbia. 10, 464-469 (Ross et al.)

cone enhancement, Pseudotsuga menziesii, auxins, abscisic acid; method of application of hormones to trees. 10, 405-414 (McMullan)

Gnathotrichus, pheromones; ethanol and pinene synergists, trapping. 10, 290-292 (Borden et al.)

growth, budworm, Pseudotsuga; computer model. 10, 176-182 (Thomson and Van Sickle)

relative growth rate, leaf area ratio; six deciduous tree seedlings in nursery beds. 10, 35-41 (Farmer) growth curves, Pseudotsuga; British Columbia, nonlinear models. 10, 304-307 (Nokoe)

, Weibull-type function; 10, 117-118 (Bailey) , Weibull-type function; 10, 119 (Kozak and Smith)

growth of stands; diameter, basal area. 10, 71-77 (West)

growth retardants, inhibitors, container-grown, Pinus contorta, Picea glauca; 10, 510-516 (Weston et al.) growth rings, X ray, densitometry; Tsuga, Pseudotsuga, Thuja, British Columbia. 10, 169-175 (Smith)

hardwood reproduction, advance growth, root age; West Virginia, U.S.A. 10, 264-268 (Tryon et al.)

harvest cut, ectomycorrhiza, fire; Montana, U.S.A. 10, 436-440 (Harvey et al.)

harvesting impacts, ectomycorrhiza, fire; Montana, U.S.A. 10, 300-303 (Harvey et al.)

heat of combustion, Populus hybrids; clonel variation. 10, 245-249 (Sastry and Anderson)

herbicide, Pinus; bioassay, cotyledon tissue. 10, 164-168 (South and Sung)

humus fertility, urea, merchantable volume, Abies balsamea; Quebec. 10, 470-475 (Roberge et al.)

hybridization, Populus tremuloides, Populus grandidentata, phenology,, introgression; gene flow, variation, genecology. 10, 218-223 (Pregitzer and Barnes)

hygrometry, water potential, dew-point, Pseudotsuga menziesii; British Columbia, soil texture. 10, 530-534 (Dosskey and Ballard)

Hypoxylon, canker, Populus tremuloides; New York, U.S.A., environmental factors. 10, 17-24 (Bruck and Manion)

inhibitors, growth retardants, container-grown, Pinus contorta, Picea glauca; 10, 510-516 (Weston et al.)

introgression, Populus tremuloides, Populus grandidentata, phenology, hybridization; gene flow, variation, genecology. 10, 218-223 (Pregitzer and Barnes)

kraft pulp, Picea rubens, fertilization; wood quality, specific gravity, wood properties, lignin, resin. 10, 183-189 (Shepard et

kraft pulping, fertilization, Abies balsamea; Nova Scotia. 10, 362-366 (Hunt et al.)

Larix, leaf rust, Populus, spore trapping; aesciospores, uredospores, phenology, north central U.S.A. 10, 257-263 (Widen and Schipper)

leaf area ratio, relative growth rate, growth; six deciduous tree seedlings in nursery beds. 10, 35-41 (Farmer)

leaf conductance, Pinus contorta, water stress, stomatal control, leaf water potential; Colorado, U.S.A. 10, 82–91 (Running) leaf rust, Populus, Larix, spore trapping; aesciospores, uredospores, phenology, north central U.S.A. 10, 257–263 (Widen and Schipper)

leaf water potential, *Pinus contorta*, water stress, stomatal control, leaf conductance; Colorado, U.S.A. 10, 82–91 (Running) lichen woodland. *Picea mariana*, biomass: eastern Canadian subarctic. 10, 491–497 (Rencz and Auclair)

litter, organic layer, decay rates; Southern Appalachians, U.S.A., turnover. 10, 395-404 (Sharpe et al.)

, organic layer, decomposition rates, nutrient release; Washington, U.S.A. 10, 327-337 (Edmonds)

merchantable volume, urea, humus fertility, Abies balsamea; Quebec. 10, 470-475 (Roberge et al.)

mitotic index, Pseudotsuga menziesii, dormancy; seedling development, regeneration. 10, 371-378 (Carlson et al.)

moisture, cone, seed release, Pinus contorta; Alberta. 10, 239-244 (Hellum and Barker)

monoterpenes, Picea sitchensis, oleoresin; within-tree variation, seasonal variation, Scotland. 10, 452-457 (Forrest et al.)

——, Picea sitchensis, oleoresin; provenance, origin, geographical variation, intra- and inter-population variability, Scotland. 10, 458–463 (Forrest et al.)

mycorrhiza, Abies amabilis, root biomass; Washington, U.S.A. seasonal changes. 10, 523-529 (Vogt et al.)

net primary production, biomass, dimensional analysis, Populus grandidentata; Michigan, U.S.A. 10, 92-101 (Koerper and Richardson)

nitrogen, fertilization, thinning, Picea mariana, foliar analysis; Quebec. 10, 502-509 (Weetman et al.)

, organic layer, *Picea mariana*; New Brunswick, methods of N determination. 10, 517-522 (Mahendrappa)

, Pseudotsuga, phosphorus, fertilizer; factorial fertilizer experiment, nursery growth. 10, 65-70 (van den Driesche)

nutrient release, organic layer, decomposition rates, litter; Washington, U.S.A. 10, 327-337 (Edmonds)

nutrition. Pinus resinosa, foliar analysis; samples by shooting and clipping, Minnesota, U.S.A. 10, 233-237 (White and Jokela)

oleoresin, Picea sitchensis, monoterpenes; within-tree variation, seasonal variation, Scotland. 10, 452-457 (Forrest et al.)

, Picea sitchensis, monoterpenes; provenance, origin, geographical variation, intra- and inter-population variability, Scotland. 10, 458-463 (Forrest et al.)

organic layer, decomposition rates, litter, nutrient release; Washington, U.S.A. 10, 327-337 (Edmonds)

, duff; Washington, U.S.A., depth, weight, subalpine zone, prediction analog. 10, 7-9 (Woodard and

, litter, decay rates; Southern Appalachians, U.S.A., turnover. 10, 395-404 (Sharpe et al.)

, nitrogen. Picea mariana; New Brunswick, methods of N determination. 10, 517-522 (Mahendrappa)

Penman-Monteith equation, Pinus sylvestris, transpiration, phosphorus-32; Scotland. 10, 555-558 (Waring et al.)

, Acer saccharum, shoot development; Vermont, U.S.A. 10, 316-326 (Gregory)

———, Populus tremuloides, Populus grandidentata, introgression, hybridization; gene flow, variation, genecology. 10, 218-223 (Pregitzer and Barnes)

pheromones, Gnathotrichus; ethanol and pinene synergists, trapping. 10, 290-292 (Borden et al.)

phloem, Pinus contorta, electrical measurements; Montana, U.S.A., predictive model. 10, 102-106 (Cole and Jensen)

phosphorus, Pseudotsuga, nitrogen, fertilizer; factorial fertilizer experiment, nursery growth. 10, 65-70 (van den Driesche)

, Pinus sylvestris, transpiration, Penman-Monteith equation; Scotland. 10, 555-558 (Waring et al.)

photography, scaling; truckloads, British Columbia. 10, 269-277 (Demaerschalk et al.)

photosynthate allocation, Pinus taeda; seasonal aspects, North Carolina, U.S.A. 10, 338-347 (Chung and Barnes)

Pinus taeda; production, consumption, balance, North Carolina, U.S.A..10, 348-356 (Chung and Barnes)

Phytobia, pith flecks, Acer saccharum, sugar concentration, ray tissue; Wisconsin, U.S.A. 10, 312-315 (Wallner and Gregory)

Picea abies, fumigation, sulphur, xylem, pollution; Switzerland. 10, 1-6 (Keller)

----, stem cuttings, scarring, adventitious roots, rooting; 10, 586-593 (Girouard),

Picea engelmannii, Pinus contorta, tracheid morphology; bolewood, height, collapsing force, cell wall thickness, fiber length, lumen diameter, lumen area. 10, 573-578 (France and Mexal)

Picea glauca, Betula papyrifera, fire, seed input; northern mixedwood, secondary succession, Saskatchewan. 10, 129-134 (Archibold)

growth retardants, inhibitors, container-grown, Pinus contorta; 10, 510-516 (Weston et al.)

Picea mariana, biomass, fuel weights; Ontario, tree crowns. 10, 498-501 (Stocks)

— fertilization, thinning, foliar analysis, nitrogen; Quebec. 10, 502-509 (Weetman et al.)
— lichen woodland, biomass; eastern Canadian subarctic. 10, 491-497 (Rencz and Auclair)

, organic layer, nitrogen; New Brunswick, methods of N determination. 10, 517-522 (Mahendrappa)

Picea rubens, kraft pulp, fertilization; wood quality, specific gravity, wood properties, lignin, resin. 10, 183-189 (Shepard et

Picea sitchensis, container, bareroot, root development; after outplanting, Oregon, U.S.A. 10, 250-256 (Carlson et al.)

enzymes, polymorphic loci; natural populations, IUFRO provenances, British Columbia. 10, 415-422 (Yeh and El-Kassaby)

, oleoresin, monoterpenes; within-tree variation, seasonal variation, Scotland. 10, 452-457 (Forrest et al.) oleoresin, monoterpenes; provenance, origin, geographical variation, intra- and inter-population variability, Scotland, 10, 458-463 (Forrest et al.)

Pinus, herbicide; bioassay, cotyledon tissue. 10, 164-168 (South and Sung)

Pinus banksiana, canker, Cronartium comptoniae; sampling efficiency, sweetfern blister rust, density, basal area. 10, 190-198 (Gross et al.)

canker, Cronartium comptoniae, epidemiology; spatial distribution, sweetfern blister rust, 10, 199-208 (Gross et al.)

Pinus contorta, cloche-grown; Scotland, seedbed density. 10, 426–428 (Thompson)
\_\_\_\_\_\_, cone, moisture, seed release; Alberta. 10, 239–244 (Hellum and Barker)

growth retardants, inhibitors, container-grown, Picea glauca; 10, 510-516 (Weston et al.)

phloem, electrical measurements; Montana, U.S.A., predictive model. 10, 102-106 (Cole and Jensen), Picea engelmannii, tracheid morphology; bolewood, height, collapsing force, cell wall thickness, fiber length, lumen diameter, lumen area. 10, 573-578 (France and Mexal) water stress, stomatal control, leaf conductance, leaf water potential; Colorado, U.S.A. 10, 82-91

Pinus halpensis, flooding; seedlings. 10, 308-311 (Sena Gomes and Kozlowski)

Pinus palustris, fungicide, ectomycorrhiza, Pisolithus tinctorius, Thelephora terrestris; seedling growth, reforestation. 10, 61-64 (Pawuk et al.)

Pinus resinosa, foliar analysis, nutrition; samples by shooting and clipping, Minnesota, U.S.A. 10, 233-237 (White and

fungus, decay, roots; barrier zone anatomy. 10, 224-232 (Tippett and Shigo)

Pinus strobus, pollution, sulphur; photosynthesis, needle elongation, Ohio, U.S.A. 10, 357-361 (Eckert and Houston) Pinus sylvestris, transpiration, Penman-Monteith equation, phosphorus-32; Scotland. 10, 555-558 (Waring et al.) Pinus taeda, photosynthate allocation; seasonal aspects, North Carolina, U.S.A. 10, 338-347 (Chung and Barnes)

photosynthate allocation; production, consumption, balance, North Carolina, U.S.A., 10, 348-356 (Chung and Barnes)

Pisolithus tinctorius, Pinus palustris, fungicide, ectomycorrhiza, Thelephora terrestris; seedling growth, reforestation. 10, 61-64 (Pawuk et al.)

, water relations, Quercus alba, ectomycorrhiza; Missouri, U.S.A. 10, 545-548 (Dixon et al.)

pith flecks, Acer saccharum, Phytobia, sugar concentration, ray tissue; Wisconsin, U.S.A. 10, 312-315 (Wallner and Gregory)

pollen mother cells, Ulmus americana, protoplast; hybrids by protoplast fusion, meiotic cells. 10, 284-289 (Redenbaugh et

pollination, Chamaecyparis nootkatensis; British Columbia. 10, 564-572 (Owens et al.)

pollution, fumigation, sulphur, xylem, Picea abies; Switzerland. 10, 1-6 (Keller)

Pinus strobus, sulphur; photosynthesis, needle elongation, Ohio, U.S.A. 10, 357-361 (Eckert and

sulphur, chlorophyll, transpiration; growth, injury, woody angiosperms. 10, 78-81 (Suwannapinunt and Kozlowski)

polymorphic loci, Picea sitchensis, enzymes; natural populations, IUFRO provenances, British Columbia. 10, 415-422 (Yeh and El-Kassaby)

Populus, cuttings, vegetative propagation; growth regulators, nutrient culture, IBA, NAA. 10, 107-110 (Phipps et al.)

gas exchange, water use efficiency; clones, Belgium. 10, 429-435 (Ceulemans and Impens) leaf rust, Larix, spore trapping; aesciospores, uredospores, phenology, north central U.S.A. 10, 257-263 (Widen and Schipper)

Populus deltoides, stomatal resistance, water relations; Oklahoma, U.S.A. 10, 447-451 (Kelliher et al.)

Populus grandidentata, Populus tremuloides, phenology, introgression, hybridization; gene flow, variation, genecology. 10, 218-223 (Pregitzer and Barnes)

biomass, dimensional analysis, net primary production; Michigan, U.S.A. 10, 92-101 (Koerper and Richardson)

Populus hybrids, heat of combustion; clonel variation. 10, 245-249 (Sastry and Anderson)

Populus tremuloides, Hypoxylon, canker; New York, U.S.A., environmental factors. 10, 17-24 (Bruck and Manion)

Populus grandidentata phenology,, introgression, hybridization; gene flow, variation, genecology. 10, 218-223 (Pregitzer and Barnes)

pressure chamber, water relations, roots, Tsuga heterophylla; seedling quality. 10, 10-16 (Kandiko et al.)

protoplast, Ulmus americana, pollen mother cells; hybrids by protoplast fusion, meiotic cells. 10, 284-289 (Redenbaugh et

Pseudotsuga, growth, budworm; computer model. 10, 176–182 (Thomson and Van Sickle)	
growth curves; British Columbia, nonlinear models. 10, 304-307 (Nokoe)	don
, nitrogen, phosphorus, fertilizer; factorial fertilizer experiment, nursery growth. 10, 65-70 (var	i den
Driesche) Pseudotsuga menziesii, Abies concolor, food reserves, tussock moth; British Columbia, New Mexico, U.S.A. 10, 53.	5-540
(Webb)	
, cone enhancement, gibberellins, auxins, abscisic acid; method of application of hormones to tree	s. 10,
405-414 (McMullan)	
, dormancy, mitotic index; seedling development, regeneration. 10, 371-378 (Carlson et al.)	
fungicides, container-grown; 10, 423-425 (Thies et al.) gibberellin, cone production; Oregon, U.S.A., British Columbia. 10, 464-469 (Ross et al.)	
, water potential, dew-point, hygrometry; British Columbia, soil texture. 10, 530-534 (Dosskey	and
Ballard)	arro
, xylem, cambial growth; environmental effects, wood property, cambium marking. 10, 121-128	(Brix
and Mitchell)	,
Duercus alba, food reserves; seasonal allocation, Tennessee, U.S.A. 10, 379–388 (McLaughlin et al.)	
, water relations, Pisolithus tinctorius, ectomycorrhiza; Missouri, U.S.A. 10, 545-548 (Dixon et al.)	
Quercus rubra, root regeneration, water stress; water potential, seedling establishment, Ohio, U.S.A. 10, 549-554 (Larse	
ay tissue, pith flecks, Acer saccharum, Phytobia, sugar concentration; Wisconsin, U.S.A. 10, 312-315 (Wallne	r and
Gregory)	
elative growth rate, growth, leaf area ratio; six deciduous tree seedlings in nursery beds. 10, 35-41 (Farmer)	
oot age, advance growth, hardwood reproduction; West Virginia, U.S.A. 10, 264–268 (Tryon et al.)	
oot biomass, Abies amabilis, mycorrhiza; Washington, U.S.A., seasonal changes. 10, 523-529 (Vogt et al.)	
oot development, container, bareroot, <i>Picea sitchensis</i> ; after outplanting, Oregon, U.S.A. 10, 250–256 (Carlson et al.) oot regeneration, <i>Quercus rubra</i> , water stress; water potential, seedling establishment, Ohio, U.S.A. 10, 549–554 (Lars	(no)
ooting, stem cuttings, scarring, adventitious roots, <i>Picea abies</i> ; 10, 586–593 (Girouard)	OII)
oots, Pinus resinosa, fungus, decay; barrier zone anatomy. 10, 224–232 (Tippett and Shigo)	
water relations, pressure chamber, Tsuga heterophylla; seedling quality. 10, 10-16 (Kandiko et al.,	)
, water relations, pressure enumber, range neterophysia, securing quarty, 10, 10 10 (randino et al	.,
ampling; inventory. 10, 579-585 (Marshall and Nautiyal)	
ap flow, Acer saccharum; environmental factors. 10, 152-157 (Plamondon and Bernier)	
caling, photography; truckloads, British Columbia. 10, 269-277 (Demaerschalk et al.)	
carification, temperature, soil water; Quebec. 10, 476-482 (Plamondon et al.)	
carring, stem cuttings, adventitious roots, Picea abies, rooting; 10, 586-593 (Girouard)	
eedbed, germination, Chamaecyparis lawsoniana; Oregon, U.S.A. 10, 441-446 (Zobel)	
eed input, Picea glauca, Betula papyrifera, fire; northern mixedwood, secondary succession, Saskatchewan. 10, 12: (Archibold)	9-134
eed release, cone, moisture, Pinus contorta; Alberta. 10, 239-244 (Hellum and Barker)	
hoot development, Acer saccharum, phenology; Vermont, U.S.A. 10, 316-326 (Gregory)	
oil water, scarification, temperature; Quebec. 10, 476-482 (Plamondon et al.)	
pore trapping, leaf rust, Populus, Larix; aesciospores, uredospores, phenology, north central U.S.A. 10, 257–263 (Vand Schipper)	Widen
pruce budworm, deer wintering; Quebec. 10, 559-563 (Potvin)	
, electrical resistance, Abies balsamea; New Hampshire, U.S.A., growth reduction, mortality. 10, 544 (Davis et al.)	541-
tem cuttings, scarring, adventitious roots, Picea abies, rooting; 10, 586-593 (Girouard)	
tomatal control, Pinus contorta, water stress, leaf conductance, leaf water potential; Colorado, U.S.A. 10, 82-91 (Runi, water relations, Populus deltoides; Oklahoma, U.S.A. 10, 447-451 (Kelliher et al.)	ning)
stumpage value; single-seller, single-buyer market, forest management. 10, 135-142 (Nautiyal)	
sugar concentration, pith flecks, Acer saccharum, Phytobia, ray tissue; Wisconsin, U.S.A. 10, 312-315 (Wallne	er and
Gregory)	
sulphur, fumigation, xylem, Picea abies, pollution; Switzerland. 10, 1-6 (Keller)	
, Pinus strobus, pollution; photosynthesis, needle elongation, Ohio, U.S.A. 10, 357-361 (Ecker Houston)	t and
, pollution, chlorophyll, transpiration; growth, injury, woody angiosperms. 10, 78-81 (Suwannapinun Kozlowski)	t and

temperature, scarification, soil water; Quebec. 10, 476-482 (Plamondon et al.)

Thelephora terrestris, Pinus palustris, fungicide, ectomycorrhiza, Pisolithus tinctorius; seedling growth, reforestation. 10, 61-64 (Pawuk et al.)

thinning, fertilization, Picea mariana, foliar analysis, nitrogen; Quebec. 10, 502-509 (Weetman et al.) tracheid morphology, Picea engelmannii, Pinus contorta; bolewood, height, collapsing force, cell wall thickness, fiber length, lumen diameter, lumen area. 10, 573-578 (France and Mexal)

transpiration, Abies grandis, defoliation; Washington, U.S.A. 10, 114-116 (Lopushinsky and Klock)

, Pinus sylvestris, Penman-Monteith equation, phosphorus-32; Scotland. 10, 555-558 (Waring et al.) pollution, sulphur, chlorophyll; growth, injury, woody angiosperms. 10, 78-81 (Suwannapinunt and Kozlowski)

Tsuga heterophylla, Arceuthobium; computer, simulation, spread, intensification. 10, 42-52 (Bloomberg et al.)

Fomes annuosus; infection rate, thinning. 10, 389-394 (Chavez et al.)

, water relations, roots, pressure chamber; seedling quality. 10, 10-16 (Kandiko et al.) tussock moth, Abies concolor, Pseudotsuga menziesii, food reserves; British Columbia, New Mexico, U.S.A. 10, 535-540 (Webb)

Ulmus americana, Dutch elm disease; BMCB. 10, 143-151 (Roy et al.)

, protoplast, pollen mother cells; hybrids by protoplast fusion, meiotic cells. 10, 284-289 (Redenbaugh et

urea, merchantable volume, humus fertility, Abies balsamea; Quebec. 10, 470-475 (Roberge et al.)

vegetative propagation, Populus, cuttings; growth regulators, nutrient culture, IBA, NAA. 10, 107-110 (Phipps et al.) virus, Betula alleghaniensis; immunosorbent assay, apple mosaic. 10, 278-283 (Hardcastle and Gotlieb)

water potential, dew-point, hygrometry, Pseudotsuga menziesii; British Columbia, soil texture. 10, 530-534 (Dosskey and Ballard)

water relations, Quercus alba, Pisolithus tinctorius, ectomycorrhiza; Missouri, U.S.A. 10, 545-548 (Dixon et al.)

r, roots, pressure chamber, Tsuga heterophylla; seedling quality. 10, 10-16 (Kandiko et al.) , stomatal resistance, Populus deltoides; Oklahoma, U.S.A. 10, 447-451 (Kelliher et al.)

water stress, Pinus contorta, stomatal control, leaf conductance, leaf water potential; Colorado, U.S.A. 10, 82-91 (Running)

Quercus rubra, root regeneration; water potential, seedling establishment, Ohio, U.S.A. 10, 549-554 (Larson)

water use efficiency, Populus, gas exchange; clones, Belgium. 10, 429-435 (Ceulemans and Impens)

Weibull-type function, growth curves; 10, 117-118 (Bailey)

growth curves; 10, 119 (Kozak and Smith)

wood density, Alnus rubra; growth rate, age, distance from pith, provenance. 10, 293-299 (Harrington and DeBell)

X ray, densitometry, growth rings; Tsuga, Pseudotsuga, Thuja, British Columbia. 10, 169-175 (Smith)

xylem, cambial growth, Pseudotsuga menziesii; environmental effects, wood property, cambium marking. 10, 121-128 (Brix and Mitchell)

-, fumigation, sulphur, Picea abies, pollution; Switzerland. 10, 1-6 (Keller)